

GENERAL INDEX TO VOLUME XLIII

New scientific names of plants and the final members of new combinations are printed in bold face type; synonyms and page numbers having reference to figures and plates, in *italics*; and all other matter in ordinary type.

A

- Africa, Tropical, Some lichens of, II, *Usnea*, 381
 Aldanophyton antiquissimum, 365
 Algae, evolution of vascular plants from, 362, 364
 Alt, Karen S., Henry N. Andrews and: A new fossil plant from the New Albany shale, with some comments on the origin of land vascular plants. Part 1. Crocalophyton, a new transitional sea-land plant, 355
 Anatomy, nodal, of *Ankyropteris glabra* Baxter, A note on the, 379
 Anasazi sites, 194; beans found in, 220
 Andrews, Henry N.: A new fossil plant from the New Albany shale, with some comments on the origin of land vascular plants. Part 1. Crocalophyton, a new transitional sea-land plant, 355; Part 2. Some comments on the origin of land vascular plants and the taxonomic position of Crocalophyton, 363; A note on the nodal anatomy of *Ankyropteris glabra* Baxter, 379
 Angiosperms, early record of, 366
Ankyropteris, 379; *corrugata*, 379; *glabra*, 379, 380; *grayi*, 379
Anonyme, 13
 Archaeological sites: beans found in, 194, 198, 199
Archaeopteris latifolia, 366
Arrhenechthites, 74; *dolicocephala*, 79; *haplogyna*, 77; *mastigothrix*, 78; *mixta*, 75; *novoguineensis*, 78; *tomentella*, 74, 75
Aspidosperma quadriculatum, 304
 Australasia, *Erichthitoid* species of *Senecio* in, 57
 Australia: climatic regions of, 112; geologic history of, 115
 Australian and New Zealand species of *Pittosporum*, 87

B

- Baragwanathia*, 365
 Basketmakers, agriculture of the, 194

- Bean types: black-eyed, 190; common, 191, 248; cowpea, 190; kidney, 191; lima, 192, 222, 251; navy, 191; runner, 192, 210; snap, 190; tepary, 192, 214, 251.
 Beans, The cultivated, of the prehistoric Southwest, 189
 Beans: archaeological materials of, 199; contemporary, 222; distribution of, 189, 214; morphology of, 208; Old and New World compared, 190; seeds, 201, 213, 248, 251; taxonomy of, 189; use and preparation of, 195; charts showing variation in, 229-239
 Belcher, Robert O.: A revision of the genus *Erechtites* (Compositae), with inquiries into *Senecio* and *Arrhenechthites*, 1
Blumea tenera, 79
 Bryophytes, fossil, 365

C

- Cacalia prenanthoides*, 30
 Callixylon, 366
 Cambrian plants, 365
Citharexylum dentatum, 347; *flexuosum*, 347; *molle*, 347; *retusum*, 347
 Compositae, *Erechtites*, *Senecio* and *Arrhenechthites*, of the 1
 Coniferophytes, evolution of the, 366
 Cooper, Robert C.: The Australian and New Zealand species of *Pittosporum*, 87
 Cordate-conifer line, evolution of the, 366
Couma pentaphylla, 314
Crassocephalum valerianae-folium, 26
 Crocalophyton, A new transitional sea-land plant from the New Zealand shale, 355; taxonomic position of, 363
 Crocalophyton *readii*, 362, 372-378
Cyrtosiphonia, 279

D

- Daylength, effect of, on habit of beans, 197
 Devonian-Mississippian shales, fossil flora of, 355
Dissolaena, 279
 Dodge, Carroll William: Some lichens of tropical Africa. II, *Usnea*, 381

E

Economic uses: of species of *Pittosporum*, 90; of species of *Rauvolfia*, 267

Ejote, 195

Equisetalean plants, 365

Erechtites, 10

Erechtites (Compositae), A revision of the genus, with inquiries into *Senecio* and *Arrhenechthites*, 1; index to species of, 84

Erechtithoid species of *Senecio* in Australasia, 37; key to, 39

Evolution of land vascular plants, 363

F

Ferns, heterosporous, early occurrence of, 366

Fossil plant, a new, from the New Albany shale, 355

G

Gynura aspera, 20; *malasica*, 20; *papuana*, 53; *rosea*, 26; *zeylanica* var. *malasica*, 20

H

Hohokam culture in the Southwest, 194; beans of the, 219

Hopi beans, 222, 237

Huerckia, 279

Hybridization in *Rauvolfia*, 264

K

Kaplan, Lawrence: The cultivated beans of the prehistoric Southwest, 189

Kentucky, a new fossil plant from, 355

L

Land vascular plants, origin of, 355, 363

Lichens of tropical Africa. II. *Usnea*, 381

Life forms of Australian and New Zealand species of *Pittosporum*, 95

Lycopodiaceous plants, early, 365

M

Malouetia jasminoides, 347

Marianthus procumbens, 182

Mesa Verde beans, 251

Mogollon culture in the Southwest, 194; beans of the, 207, 218, 229

N

Navajo beans, 223, 233, 236

Neoceis, 10; *carduifolia*, 19; *bieracifolia*, 14; *microcephala*, 61; *rigidula*, 14; *to mentosa*, 57

New Albany shale, a new fossil plant from, 355

New Zealand and Australian species of *Pittosporum*, 87

Nodal anatomy of *Ankyropteris glabra* Baxter, 379

O

Ophioxylon, 279

P

Paleobotany: A new fossil plant from the New Albany shale, with some comments on the origin of land vascular plants, 355; A note on the nodal anatomy of *Ankyropteris glabra* Baxter, 379

Phaseolus, 189; *acutifolius*, 192, var. *latifolius*, 192, 206, 207; *coccineus*, 192, 206 207; *lunatus*, 192, 207; *vulgaris*, 191, 206, 207, subsp. *aborigineus*, 191, subsp. *cultigenus*, 191

Phylogeny of *Pittosporum*, 98

Piman beans, 223

Pittosporaceae, distribution of, 108, 109

Pittosporoides, 121; *umbellata*, 147

Pittosporum: Australian and New Zealand species of, 87; interrelations of species of, 117; index of species, 187; index of vernacular names, 187; taxonomy of, 121

Pomaderris microcarpa, 181

Prehistoric Southwest, Cultivated beans of the, 189

Protein, beans as a source of, 196

Prototaxites, 368

Pteridophytes, evolution of, 363

Pteridospermae in Cambrian time, 365

Ptileris bieracifolia, 14

R

Rao, Aragula Sathyannarayana: A revision of *Rauvolfia*, with particular reference to the American species, 253

Rauvolfia: economic uses of, 267; geography, 268; index to species, 353; relationships, 273; variation and hybridization, 264, 266

Rauvolfia serpentina, medicinal use of, 267

Rauwolfia, 279

Rhynia, 363

Rio Grande Pueblo beans, 223, 233

S

- Sanmiguelia lewisii*, 366
Schizopodium davidi, 362
 Sea-land plant, a new transitional, 355
Senecio and *Arrhenechthites*, Inquiries into, 1
Senecio, *Erechthitoid* species of, in Australia, 38; index to species, 85
Senecio, 10
Senecioninae, key to the, 8
 Serpentine, 267
Sonchus agrestis, 19; *brasiliensis*, 19; *erythropappus*, 26; *laevis*, 13; *occidentalis*, 19
 Southwest, The, 193; culture history of, 194; prehistoric, Cultivated beans of the, 189
Stauropteris burntislandica, 366
Strempeleopsis strempeleioides, 347

T

- Tabernaemontana oppositifolia*, 347
Tonduzia longifolia, 347
Trichilia monophylla, 134

U

- Usnea* in Africa south of 15° N., 381; key to, 382; new taxa, 392

- Usnea*, 381; *amaniensis*, 396; *articulata* subsp. *aethiopica*, 394; *blepharoides*, 395; *brunnescens*, 393; *cameroonensis*, 394; *cervicornis*, 392; *Dalei*, 396; *decepiens* var. *Rhodesiana*, 394; *Dodomae*, 392; *Gossweileri*, 395; *isabellina*, 395; *medioafricana*, 393; *Meyeri* var. *chondroclada*, 396; *nana*, 393; *nutans*, 395; *pulvinulata*, 392; *spilotoides*, 396; *subcristata*, 393; *subfoveata*, 395; *terricola*, 394

V

- Vallesia dichotoma*, 347
 Variation: in cultivated beans, 229-239; in *Rauvolfia*, 264
 Vascular plants, land, origin of, 363
 Verde Valley beans, 229
 Vernacular names of species of *Pittosporum*, 187

X

- Xenocladia*, 368

Y

- Yuman beans, 223

Z

- Zuni beans, 222, 236, 238